
Declaration of performance Nr. 965-CPR-C0382



7 Declaration of performance concerning a construction product covered by a harmonised standard

Notified product certification body BE-CERT (NB 0965) performed the determination of the product-type on the basis of type testing (including sampling), the initial inspection of the manufacturing plant and of factory production control, the continuous surveillance, assessment and evaluation of factory production control and the audittesting of samples taken before placing the product on the market under system 1+ and issued the certificate of constancy of performance.

8 Declared performance

1

2

3

4

5

6

Essential characteristics	Performance	Harmonised technical specification
Common cements (subfamilies), constituents and composition	CEM I	NBN-EN 197-1:2011
Compressive strength, (early and standard)	42,5 N	
Initial setting time	Pass	
Insoluble residue	Pass	
Loss on ignition	Pass	
Soundness - Expansion - SO3 content	Pass Pass	
Chloride content	Pass	_

9 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Braine-l'Alleud, 22-11-2023

S. Montaigne Technical Cement Operations Director

Contact:

Netherlands Tel: + 31 73 640 12 20 tv-cement-nl@heidelbergmaterials.com cement.heidelbergmaterials.nl Belgium Tel. : + 32 2 678 32 11 ta-cement-be@heidelbergmaterials.com cement.heidelbergmaterials.be

